

T7 RNA Polymerase ELISA Kit

Catalog Number LDG00024E

Package 96 T (8 x 12 strips)

For full product information, images and publications, please visit our website.



Overview

Components

| Items | Quantity |
|--|-------------------------------|
| T7 RNA Polymerase ELISA plate | 96 wells (12 x 8-well strips) |
| Standard | 2 vials (Lyophilized form) |
| Standard reconstitution buffer | 2 vials (1.1 mL) |
| Standard & Sample diluent buffer | 1 vial (12 mL) |
| HRP-antibody conjugate | 1 vial (70 μL) |
| HRP-antibody conjugated diluent buffer | 1 vial (12 mL) |
| 20× wash buffer | 1 vial (15 mL) |
| ТМВ | 1 vial (12 mL) |
| Stop solution | 1 vial (6 mL) |
| Microplate sealing film | 1 sheet |

Specifications

ReactivityApplicationBacteriophageSandwich ELISA analysis

Tainan Headquarter

Taipei Office



Detection Method

Colorimetric

Specificity

T7 RNA Polymerase

Sample Type

Samples contain T7 RNA Polymerase

Sensitivity

Limit of detection (LoD): 0.037 ng/mL Limit of quantification (LoQ): 0.124 ng/mL.

Assay Range

0.15625-10 ng/mL

Instruction

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at 2-8°C for long term storage.


Stability & Storage

This product is stable after storage at:

2-8°C for unopened product.

Please refer to product manual for storage constructions.

Image



Typical data The following data are for demonstration only

| T7 RNA Polymerase ELISA plate Stripwell microplate with 96 anti-T7 RNA Polymerase monoclonal antibodies coated wells | 96 wells (12 x 8-well strips) | Ready for use | |
|---|----------------------------------|---|--|
| Standard T7 RNA Polymerase lyophilized from buffered protein solution with preservatives | (Lyophilized form) | Refer to the vial label for reconstitution yolume. Reconstitute by adding Standard reconstitution buffer to be a stock solution of 100 ng/mL (see procedure, section 8 (21) | |
| Standard reconstitution buffer Buffered protein solution with preservatives | 2 vials (1.1 mL) | Ready for use | |
| Standard & Sample diluent buffer Buffered protein solution with preservatives | 1 vial (12 mL) | Ready for use | |
| HRP-antibody conjugate HRP conjugated anti-T7 RNA Polymerase monoclonal antibody in buffered protein solution with preservatives | 1 vial (70 μL) | Dilute 200 x with HRP-antibody conjugated diluent buffer (see reagent preparation, section 5.A) | |
| HRP-antibody conjugated diluent buffer Buffered solution with preservatives | 1 vial (12 mL) | Ready for use | |
| 20 X wash buffer 20-fold concentrated solution of buffered surfactant with preservatives | 1 vial (15 mt) | Dillute 20 x with distilled water (see reagent preparation, section 5.8) | |
| TMB Chromogenic substrate (tetramethylbenzidine) for HRP | 1 vial (12 mL) | Ready for use | |
| Stop solution H ₂ SO ₄ solution | 1 vial (6 mL) | Ready for use | |
| Microplate sealing film | 1 sheet | N/A | |

Reagents provided and reconstitution

| | | 2 | 3 | |
|-------------|-------------------------------|--------------------------------|----------|----------|
| AD CAENIE | Standard 1 (10 ng/mL) | Standard 1 (10 ng/mL) | Sample 1 | Sample 5 |
| В | Standard 2 (50 ng/mL) | Standard 2 (5 ng/mL) | Sample 1 | Sample 5 |
| С | Standard 3 (2.5 ng/mL) | Standard 3 (2.5 ng/mL) | Sample 2 | Sample 6 |
| D (0) | Standard 4 (1.25 ng/mL) | Standard 4 (1.25 ng/mL) | Sample 2 | Sample 6 |
| E | Standard 5 (0.625 ng/mL) | Standard 5 (0.625 ng/mL) | Sample 3 | Sample 7 |
| F | Standard 6 (0.3125 ng/mL) | Standard 6 (0.3125 ng/mL) | Sample 3 | Sample 7 |
| G ADGENE | Standard 7 (0.15625 ng/mL) | Standard 7 (0.15625 ng/ml.) | Sample 4 | Sample 8 |
| Н | Blank | Blank | Sample 4 | Sample 8 |

An example of orientation of standards, blanks and samples in the stripwells microplate

Disclaimer: For Research Use or Further Manufacturing Only.

Tainan Headquarter





Tainan Headquarter

Taipei Office