

Streptavidin-HRP

Catalog Number	LDG0002RO
Package	500 µL / Customized package

“ Publications (1)

For full product information, images and publications, please visit [our website](#).



Overview

Description

Streptavidin is a 53 kDa homotetramer isolated from *Streptomyces avidinii*. Because of its strong non-covalent interaction with biotin, streptavidin can be used to detect and isolate biotinylated proteins. Conjugation of horseradish peroxidase (HRP) to streptavidin is obtained by cross linking the amino groups on streptavidin with the carbohydrate groups on HRP. Streptavidin-HRP is typically used biotinylated antibodies or proteins.

Product Note

Recommended dilution factor:

ELISA: 1:5000-20000

WB: 1:1000-10000

IHC: 1:200-500

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

Horseradish peroxidase is conjugated to the streptavidin tetramer at about 1:1 molar ratio.

Optimal titers for the applications should be determined by the researcher.

Specifications

Application

ELISA, WB, IHC

Conjugation

HRP

Storage Buffer

Liquid. Phosphate Buffered Saline containing 50% glycerol and 0.01% ProClin 300, pH 7.4.

Form

Liquid

Tainan Headquarters

+886-6-2536677

bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677

Instruction

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage

This product is stable after storage at:

- 2-8°C for 6 months under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles.

Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarters

+886-6-2536677

✉ bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677