

## HRV 3C Protease

**Catalog Number** LDG0009RG

**Package** Customized package / 1,000 U / 1,0000 U

 Publications ( 1 )

For full product information, images and publications, please visit [our website](#).



### Overview

#### Description

HRV 3C Protease is a recombinant form of the 3C protease derived from human rhinovirus 14 expressed in E. coli (specific activity 1800-2000 U/mg). This product is a highly purified recombinant 6XHis-fusion protein. This protease requires neither metal nor cofactors for activity. HRV 3C Protease recognizes the cleavage site: Leu-Glu-Val-Leu-Phe-Gln↓Gly-Pro (LEVLFQ↓GP).

#### Product Note

- Cleavage efficiency may differ based on structure and properties of each target protein, we recommend testing several enzyme-to-substrate ratios, temperatures and incubation times.
- HRV 3C Protease reactions can be performed in a buffer which is optimal for the target protein. Reducing reagents (e.g., DTT) or salts (e.g., NaCl) can be added for cleavage efficiency evaluation.

#### Components

Package	Items	Quantity
1,000 U	HRV 3C Protease	1 vial (1,000 U)
	10X HRV 3C Cleavage Buffer	1 vial (10 mL)
10,000 U	HRV 3C Protease	1 vial (10,000 U)
	10X HRV 3C Cleavage Buffer	1 vial (10 mL)


### Specifications

#### Tainan Headquarter

 +886-6-2536677  +886-6-2531536

 [info@leadgene.com.tw](mailto:info@leadgene.com.tw)

#### Taipei Office

 +886-2-27065528

**Expression System**

Escherichia coli

**Purity**

>98% as determined by SDS-PAGE analysis.

**Endotoxin Level**

<1 EU per 1 µg of the protein by the LAL method.

**Storage Buffer**

Lyophilized from a solution containing 50 mM Tris, 150 mM NaCl, 1 mM EDTA, 1 mM DTT, 0.04% Tween20, 8% trehalose, 8% mannitol.

**Unit Definition**

One unit of HRV 3C Protease is defined as the amount of enzyme that will cleave >95% of 0.1 mg HRV 3C cleavage control protein in 150 mM NaCl, 50 mM Tris-HCl pH 7.5, at 4°C for 16 h.

**Form**

Lyophilized

**Instruction****Reconstitution**

It is recommended to reconstitute the lyophilized protein in sterile H<sub>2</sub>O and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

**Stability & Storage**

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

**Shipping**

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.


**Image****Tainan Headquarter**

+886-6-2536677 +886-6-2531536

info@leadgene.com.tw

**Taipei Office**

+886-2-27065528



SDS-PAGE analysis of  
recombinant HRV 3C Protease  
Protein

**Disclaimer :** For Research Use or Further Manufacturing Only.

**Tainan Headquarter**

+886-6-2536677 +886-6-2531536

info@leadgene.com.tw

**Taipei Office**

+886-2-27065528