

Mouse HMGB1, His Tag, E. coli

Catalog Number LDG00

Package

LDG002PME

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin	Expression System
Mouse	Escherichia coli
Affinity Tag	Storage Buffer
His Tag (C-term)	Lyophilized from a 0.2 µm filtered solution of PBS, pH
	7.4.
Purity	Molecular weight
>95% as determined by SDS-PAGE analysis.	The protein has a calculated MW of 25.56 kDa.
	The protein migrates as 25-35 kDa under reducing
	condition (SDS-PAGE analysis).
Activity	Endotoxin Level
Measure by its ability to induce TNF alpha in	<0.1 EU per 1 μ g of the protein by the LAL method.
RAW264.7 cells. The ED₅₀ for thiseffect is <15 ng/mL.	
Form	

Lyophilized

Background

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677



Background

High Mobility Group protein B1 protein (HMGB1) is the high mobility group box family of non-histone chromosomal proteins. Human HMGB1 is expressed as a 25 kDa single chain polypeptide containing three domains: two N-terminal HMG boxes A and B, and a negatively charged 30 a.a. C-terminal region that contains only Asp and Glu. Post-translational modification on HMGB1 have been reported, affects its localization, receptor interactions, and function. HMGB1, with a disulfide bond between C23 and C45 , have been reported that cause cytokine production and the activation of NF-κB. Otherwise, the fully oxidized form has no immune function, losing its proinflammatory effect and the apoptotic cell death activation function.

Uniprot ID

#P63158

Synonyms

High mobility group protein B1, High mobility group protein 1, HMG-1

Sequence Note

Met1-Asp169

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration of 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528


☑ bd@leadgene.com.tw

8

& +886-6-2536677



Image



SDS-PAGE analysis of recombinant mouse HMGB1.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw