

Canine PD-L1 Protein, His Tag, HEK293

Catalog Number LDG003POM **Package** Customized package / 100 µg

For full product information, images and publications, please visit our website.



Overview

Description

PD-L1 regulates immune responses by binding to the immunoinhibitory receptor PD-1 on activated T-cells and B-cells. This interaction can suppress T-cell responses by inducing apoptosis and arresting cell-cycle progression. In cancer, PD-L1's role in reducing antigen-specific T cells can promote tumor growth and immune evasion. As a result, PD-L1 is considered as a potential therapeutic target for autoimmune diseases and cancer.

Specifications

Species of Origin

Canine

Affinity Tag

His Tag (C-term)

Purity

>90% as determined by SDS-PAGE analysis.

Endotoxin Level

<0.1 EU per 1 µg of the protein by the LAL method.

Expression System

HEK293

Storage Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 26 kDa. The protein migrates as 35-45 kDa uder reducing condition (SDS-PAGE analysis).

Form

Lyophilized

Background

Tainan Headquarters

Innovation & Research Center

CLD Center



Synonyms

CD274, B7-H1

Sequence Note

Phe19-Arg236

Uniprot ID

NCBI Reference Sequence: NP_001278901.1

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration of 200 $\mu g/mL$ and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.


Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Image





SDS-PAGE analysis of recombinant Canine PD-L1 Protein.

Disclaimer: For Research Use or Further Manufacturing Only.