

Donkey Anti-Goat IgG (H+L) Antibody (FAM)

Catalog Number LDG0042YE

Package

500 μL / 1 mL / Customized package

For full product information, images and publications, please visit our website.



Publications (3)

Overview

Description

FAM is a fluorescent dye that can be excited by wavelength of 495 nm. Leadgene Donkey Anti-Goat IgG (H+L) Antibody (FAM) is conjugated with high-activity FAM.

Product Note

Recommended dilution factor: IFA: 1:200-1000 FACS: 1:200-1000

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

•			
50	ecit	Icat	ions
		- Court	

Host	Clonality	
Donkey	Polyclonal	
Immunogen Purified goat IgG	Reactivity Goat (Minor cross-reactivity to human in higher concentration)	
Application	Conjugation	
IFA, FACS	5(6)-FAM	

Tainan Headquarters	Innovation & Research Center	CLD Center
& +886-6-2536677	& +886-2-27065528	& +886-6-2536677
☑ bd@leadgene.com.tw		



Datasheet

Concentration 0.5 mg/mL	Storage Buffer Phosphate Buffered Saline containing 1% BSA, 0.03% ProClin 300, pH 7.4.
Specificity IgG	Form Liquid
Instruction	
Shipping	Stability & Storage

The product is shipped with polar packs. Upon receipt, store it immediately at 2-8°C for long term storage.

This product is stable after storage at:

 2-8°C for 6 months under sterile conditions from date of receipt.

Do not freeze and protect from light.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw