

Anti-SARS-CoV-2 NP Antibody [Clone 109-5]

Catalog Number LDG0084YA

Package

100 µg / Customized package

For full product information, images and publications, please visit our website.



Overview

Description

Mouse anti-SARS-CoV & CoV-2 NP mAb recognize SARS Coronavirus Nucleocapsid protein (NP). Coronavirus NP localize to the cytoplasm and the nucleolus in both Virus-like particle (VLP) infected primary cells and in cells transfected with NP plasmid. NP has abundant expression in coronavirus and is a highly immunogenic phosphoprotein. NP is also conserved in sequence. Due to these characteristics above, the NP is an ideal marker for diagnosis.

Product Note

Recommended dilution factor: ELISA: 1:5000-20000 WB:1: 1000-5000 IFA:1: 500-1000

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

Specifications	
Host	Clonality
Mouse	Monoclonal
Isotype	Clone Name
IgG1	clone 109-5
Immunogen	Reactivity
Nucleocapsid protein (NP)	SARS-CoV & CoV-2

Tainan Headquarters	Innovation & Research Center	CLD Center
& +886-6-2536677	& +886-2-27065528	& +886-6-2536677
☑ bd@leadgene.com.tw		



Application	Conjugation
ELISA, WB, IFA	Unconjugated
Concentration 1 mg/mL	Storage Buffer Phosphate Buffered Saline containing 0.03% ProClin 300, pH 7.4.
Specificity	Form
Nucleocapsid protein	Liquid

Instruction

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage

This product is stable after storage at:

- 2-8°C for 2 weeks under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles. Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.

Image

Tainan Headquarters

Innovation & Research Center

CLD Center


& +886-2-27065528

& +886-6-2536677


☑ bd@leadgene.com.tw




Datasheet



Immunofluorescence analysis of Mouse anti-SARS-CoV & CoV-2 NP mAb, clone 109-5 (1:500)



ELISA titration of Mouse anti-SARS-CoV & CoV-2 NP mAb, clone 109-5



Western blotting analysis of Mouse anti-SARS-CoV & CoV-2 NP mAb, clone 109-5 (1:1000) Lane 1 : SARS-CoV-2 NP Lane 2 : SARS-CoV NP Lane 3 : MERS-CoV NP Lane 4 : HCOV-NL63 NP

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw