

Mouse CD83, His Tag, CHO

LDG012PMM **Catalog Number Package** $5~\mu g$ / $20~\mu g$ / $100~\mu g$ / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin

Mouse

Affinity Tag

His Tag (C-term)

Purity

>95% as determined by SDS-PAGE analysis.

Activity

Measured by its ability to support the adhesion of human monocyte-derived dendritic cells, with the ED50 ranging from 1 to 10 µg/mL.

Form

Lyophilized

Expression System

CHO

Storage Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4

Molecular weight

The protein has a calculated MW of 13.11 kDa. The protein migrates as 25-40 kDa under reducing condition (SDS-PAGE analysis).

Endotoxin Level

<0.1 EU per 1 μ g of the protein by the LAL method.

Background



Background

CD83, a transmembrane protein primarily found on the surface of mature dendritic cells, is a key regulator of immune responses. It plays a critical role in modulating T cell activation and tolerance. CD83 expression is upregulated upon dendritic cell maturation and is involved in antigen presentation and T cell priming. Additionally, CD83 can also be found in soluble form, exerting immunoregulatory effects on T cells and other immune cells. Its precise functions in immune regulation are still under investigation, but CD83 is recognized as a potential therapeutic target for immune-related disorders and autoimmune diseases.

Synonyms

CD83 antigen

Uniprot ID

O88324

Sequence Note

Met1-Arg133

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration of 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.


Avoid repeated freeze/thaw cycles.

Image


Tainan Headquarters

Innovation & Research Center

CLD Center



Mouse CD83, His Tag, CHO (LDG012PMM) supports the adhesion of human monocyte-derived dendritic cells, with the ED50 ranging from 1 to $10~\mu g/mL$.



SDS-PAGE analysis of recombinant mouse CD83.

Disclaimer: For Research Use or Further Manufacturing Only.