

Mouse CXCL11, His Tag, E. coli

Catalog Number LDG013

Package

LDG013PME

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin	Expression System
Mouse	Escherichia coli
Affinity Tag	Storage Buffer
	-
His Tag (N-term)	Lyophilized from a 0.2 μm filtered solution of PBS, pH
	7.4.
Purity	Molecular weight
>98% as determined by SDS-PAGE analysis.	The protein has a calculated MW of 9.92 kDa.
	The protein migrates about 11 kDa under reducing
	condition (SDS-PAGE analysis).
	condition (3D3-FAGE analysis).
Activity	Endotoxin Level
Measure by its ability to chemoattract human THP1	<0.1 EU per 1 μ g of the protein by the LAL method.
cells using a concentration range of 50-100 ng/mL.	
Form	
Lyophilized	

Background

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw



Background

C-X-C motif chemokine 11 (CXCL11) also named Interferon-gamma-inducible protein 9 (IP-9), which is a chemokine of the intercrine alpha family. CXCL11 is a 8.8 kDa protein containing 79 amino acid residues. To CXCR3, CXCL11 has higher affinity than CXCL10 and CXCL9 which plays a role in immune activation. CXCL11 induces the activation of T cells which is also a chemotaxis for T cells. CXCL11 is produced in response for IFN Family.

Synonyms

C-X-C motif chemokine 11, Interferon-inducible T-cell alpha chemoattractant, I-TAC, Small-inducible cytokine B11

The product is shipped with polar packs. Upon receipt,

store it immediately at -20°C or lower for long term

Sequence Note

Phe22-Met110

Shipping

storage.

Uniprot ID

#Q9JHH5

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration not less than 200 μ g/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-253<u>6</u>677

& +886-2-27065528

& +886-6-2<u>536677</u>

☑ bd@leadgene.com.tw



kDa	M
75 60 45	
35 25	
15	
10	

SDS-PAGE analysis of recombinant mouse CXCL11.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw