

Mouse PD-L2, His Tag, CHO

Catalog Number LDG01

Package

LDG013PMM

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin	Expression System
Mouse	СНО
Affinity Tag	Storage Buffer
His Tag (C-term)	Lyophilized from a 0.2 μ m filtered solution of PBS, pH
	7.4
Purity	Molecular weight
>95% as determined by SDS-PAGE analysis.	The protein has a calculated MW of 23.35 kDa.
	The protein migrates as 30-40 kDa under reducing
	condition (SDS-PAGE analysis).
Endotoxin Level	Mycoplasma
<0.1 EU per 1 μ g of the protein by the LAL method.	Not detected
Form	
Lyophilized	

Background

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2<u>5366</u>77

☑ bd@leadgene.com.tw

& +886-2-27065528

& +886-6-2536677



Background

PD-L2, or Programmed Death-Ligand 2, is a transmembrane protein expressed on antigenpresenting cells and non-hematopoietic cells. It functions as a ligand for the programmed cell death protein 1 (PD-1) receptor on T cells, delivering inhibitory signals that regulate immune responses. PD-L2 engagement with PD-1 contributes to T cell exhaustion, immune tolerance, and evasion of immune surveillance by tumors. Blockade of the PD-L2/PD-1 pathway has emerged as a promising strategy in cancer immunotherapy, enhancing anti-tumor immune responses. Understanding PD-L2's role in immune regulation is essential for developing targeted therapies for cancer and autoimmune diseases.

Synonyms

PD-1 ligand 2, PD-L2, PDCD1 ligand 2, Programmed death ligand 2, Butyrophilin B7-DC (B7-DC), CD273

Uniprot ID

NP_067371

Sequence Note

Met1-Arg219

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration of 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677


& +886-2-27065528

☑ bd@leadgene.com.tw

& +886-6-2536677



Image



SDS-PAGE analysis of recombinant mouse PD-L2.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-6-2536677

☑ bd@leadgene.com.tw