

## Anti-Influenza A Virus NP Antibody [Clone IA05]

**Catalog Number** LDG0172YA

**Package** 100 µg / Customized package

For full product information, images and publications, please visit [our website](#).



### Overview

#### Description

Human anti-influenza A virus NP antibody only recognizes nucleocapsid protein (NP) of influenza A viruses but not influenza B viruses. Influenza A viruses are RNA viruses, and their subtypes are labeled according to an H number (for the type of hemagglutinin) and an N number (for the type of neuraminidase).

#### Product Note

Recognize Influenza A virus NP in Lateral Flow, when clone IA05 antibody was paired with Anti-Influenza A virus NP Antibody [clone LGA4] (cat. 18901).

Recognize Influenza A virus NP in ELISA, when clone IA05 antibody was paired with Anti-Influenza A virus NP Antibody [clone LGA3] (cat. 15771), [clone LGA4] (cat. LDG0089YA), [clone LGA7] (cat. LDG0090YA) or [clone IA06] (cat. LDG0173YA).

Recommended dilution factor:

ELISA: 1:5000-20000

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

### Specifications

#### Host

Mouse

#### Clonality

Monoclonal

#### Isotype

IgG2b

#### Clone Name

clone IA05

#### Tainan Headquarter

+886-6-2536677 +886-6-2531536

info@leadgene.com.tw

#### Taipei Office

+886-2-27065528

**Immunogen**

Recombinant Influenza A virus nucleocapsid protein

**Application**

ELISA, CLIA, LFIA, IFA

**Concentration**

1 mg/mL

**Specificity**

Nucleocapsid protein

**Reactivity**

Influenza A virus

**Conjugation**

Unconjugated

**Storage Buffer**

Phosphate Buffered Saline containing 0.03% ProClin 300, pH 7.4.

**Form**

Liquid

**Instruction****Shipping**

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

**Stability & Storage**

This product is stable after storage at:

- 2-8°C for 2 weeks under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles.

Suggestion: Divide antibody into several vials.

Keep only vials for usage at 2-8°C.


**Image****Tainan Headquarter**

+886-6-2536677 +886-6-2531536

info@leadgene.com.tw

**Taipei Office**

+886-2-27065528



ELISA titration of Anti-Influenza A  
virus NP Antibody [clone IA05]

**Disclaimer :** For Research Use or Further Manufacturing Only.