

## Anti-CD28 Antibody [Clone 0AA01]

Catalog Number LDC

Package

LDG0178YA

100 µg / Customized package

For full product information, images and publications, please visit our website.



### Overview

#### Description

CD28, a well-known costimulatory receptor expressed on T cells, is a type I transmembrane glycoprotein of the Ig superfamily. When the T cells receive the first signal delivered by APCs (antigen-presenting cells), it initiates signaling cascades, which favor T cell survival and proliferation. It has been demonstrated that patients with lung cancer who responded to PD-1 therapy had more CD28+ T cells, suggesting that CD28 may predict treatment response.

**Product Note** 

Recommended dilution factor: ELISA: 1:5000-20000

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

### **Specifications**

☑ bd@leadgene.com.tw

Clonality	Isotype
Humanized IgG	IgG1
Clone Name	Reactivity
clone 0AA01	Human
Application	Conjugation
ELISA	Unconjugated
Concentration 0.5 mg/mL	Storage Buffer Phosphate Buffered Saline containing 0.03% ProClin 300, pH 7.4.

# Tainan Headquarters Innovation & Research Center CLD Center © +886-6-2536677 © +886-2-27065528 © +886-6-2536677



Specificity

CD28

## Instruction

### Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage

Form

Liquid

This product is stable after storage at:

- 2-8°C for 2 weeks under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles. Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.

### Image

A	37					-	- CD28-ECI
mu	2-						
OD 450 nm	1-				Ś	<b>N</b> OG	
	0	•	1	10 pody [Clor	100	1000	

ELISA titration of Anti-CD28 Chimeric IgG Antibody [Clone 0AA01] Titration curve of anti-CD28 antibody in ELISA.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarters	Innovation & Research Center	CLD Center
& +886-6-2536677	& +886-2-27065528	& +886-6-2536677
☑ bd@leadgene.com.tw		