

LeadGMP® Human TPO Protein, His Tag, E. coli

Catalog Number LDG017PHE-GMP

Package 100 µg / 1 mg / Customized package

For full product information, images and publications, please visit [our website](#).



Specifications

Species of Origin

Human

Expression System

Escherichia coli

Affinity Tag

His Tag (C-term)

Storage Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Purity

>95% as determined by SDS-PAGE analysis.

Molecular weight

The protein has a calculated MW of 19.6 kDa. The protein migrates as 20 kDa under reducing condition (SDS-PAGE analysis).

Activity

Measure by its ability to induce proliferation in MO7e cells. The ED₅₀ for this effect is <2 ng/mL.

Endotoxin Level

<0.05 EU per 1 µg of the protein by the LAL method.

Mycoplasma

Not detected

Form

Lyophilized

Background

Tainan Headquarters

+886-6-2536677

bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677

Background

Thrombopoietin (TPO) is a glycoprotein that produced by the liver, kidney, marrow stroma and several other tissues. The TPO level in the blood is mostly negatively correlated with the abundance of platelets and bone marrow megakaryocytes, although multiple states of inflammation or infection, liver failure, and hematological disturbances are associated with unexpectedly high or low circulating levels of the hormone.

Uniprot ID

P40225

Synonyms

Thrombopoietin, C-mpl ligand , ML, Megakaryocyte colony-stimulating factor, Megakaryocyte growth and development factor , MGDF, Myeloproliferative leukemia virus oncogene ligand

Sequence Note

Ser22-Leu195

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration not less than 0.5 mg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 2 weeks under sterile conditions after reconstitution.


Avoid repeated freeze/thaw cycles.

Manufacturing Specifications


LeadGMP® recombinant proteins are manufactured in ISO 13485:2016 and GMP certified facility. The processes include:

- Animal-free reagent and laboratory
- Manufactured and tested under GMP guideline
- Testing and traceability of raw material
- Records of the maintenance and equipment calibration
- Personnel training records
- Batch-to-batch consistency
- Documentation of QA control and process changes
- Manufactured and tested under an ISO 13485:2016 certified quality management system
- Stability monitor of product shelf-life

Image



LeadGMP® Human TPO Protein, His Tag, E. coli (LDG017PHE-GMP) induced MO7e cell proliferation.



SDS-PAGE analysis of LeadGMP® TPO, Human

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarters

+886-6-2536677

bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677