

Anti-EV-A71 VP1 IgG Antibody

Catalog Number LDG

LDG0206YA

Package

100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Clonality	Immunogen
Recombinant Human IgG	EV-A71 VP1
Reactivity	Application
EV-A71	ELISA, LFA
Conjugation	Concentration
Unconjugated	Lot-dependent, please refer to product label.
Storage Buffer Phosphate Buffered Saline containing 0.03% Proclin 300, pH 7.4.	Form Liquid

Background

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2<u>536677</u>

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw



Background

Enterovirus A71 (EV-A71), a positive-strand RNA virus of the Picornaviridae family, is a persisting global concern. EV-A71 is primarily transmitted through the fecal-oral route, causing hand, foot, and mouth disease (HFMD), severe central nervous system complications, neural damage, and even life-threatening. VP1 is a structural capsid protein consisting of 297 amino acids, promoting infection by binding to specific receptors on the surface of host cells, including P-selectin glycoprotein ligand 1 (PSGL-1), scavenger receptor B2 (SCARB2), annexin II protein, sialylated glycan, and heparan sulfate.

Instruction

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage

This product is stable after storage at:

- 2-8°C for 2 weeks under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles. Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.

Image

Tainan Headquarters

Innovation & Research Center

CLD Center

<u>®</u> +886-6-2536677

& +886-2-<u>27065528</u>

<u>®</u> +886-6-2536677

☑ bd@leadgene.com.tw



				C	EV-A71
3-		-	-	+	BSA
OD450 nm		TEINIE			
5 5 1-	/				
0		10	100	1000	
	-EV-A71	VP1 IgG An	tibody (ng		

ELISA titration of Anti-EV-A71 IgG Antibody Titration curve of anti-EV-A71 IgG Antibody in ELISA. Red: EV-A71; Black: BSA (negative control).

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw