

Mouse VEGF165, His Tag, E. coli

Catalog Number LDG021PME

Package 5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin

Mouse

Affinity Tag

His Tag (C-term)

Purity

>98% as determined by SDS-PAGE analysis.

Activity

Measure by its ability to induce proliferation in HUVEC cells. The ED $_{50}$ for this effect is < 10 ng/mL.

Form

Lyophilized

Expression System

Escherichia coli

Storage Buffer

Lyophilized from a 0.2 μm filtered solution of 50 mM Tris, 500 mM NaCl, pH 8.5.

Molecular weight

The protein has a calculated MW of 20.22 kDa. The protein migrates as 18 kDa under reducing condition (SDS-PAGE analysis).

Endotoxin Level

<0.1 EU per 1 μg of the protein by the LAL method.

Background



Background

Vascular Endothelial Growth Factors 165 (VEGF165) is a potent growth and angiogenic cytokine which belongs to the VEGF family, includes VEGF-A, VEGF-B, VEGF-C, VEGF-D, VEGF-E, and PIGF. VEGF165 is an abundant glycosylated cytokine composed of two identical 165 amino acid chains. VEGF165 plays an important role in embryonic vasculogenesis, angiogenesis and neurogenesis.

Uniprot ID

NP 0335313

Synonyms

Vascular endothelial Growth Factors A, VEGF-A

Sequence Note

Ala205-Arg368

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration of 200 $\mu g/mL$ and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.


Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Image





SDS-PAGE analysis of recombinant mouse VEGF165.

Disclaimer : For Research Use or Further Manufacturing Only.