

# Human TNF Alpha, His Tag, HEK293

Catalog Number LDG

Package

LDG023PHM

100 μg / 20 μg / 5 μg / Customized package

For full product information, images and publications, please visit our website.



# Specifications

Species of Origin	Expression System
Human	HEK293
Affinity Tag	Storage Buffer
His Tag (C-term)	Lyophilized from a 0.2 $\mu m$ filtered solution of PBS, pH
	7.4.
Purity	Molecular weight
>95% as determined by SDS-PAGE analysis.	The protein has a calculated MW of 20.37 kDa.
	The protein migrates as 15 kDa under reducing
	condition (SDS-PAGE analysis).
Activity	Endotoxin Level
Measured by its ability to induce cytotoxicity in L929	<0.1 EU per 1 $\mu$ g of the protein by the LAL method.
cells in the presence of actinomycin D, with the ED50	
being < 0.1 ng/mL.	
Form	

Lyophilized

# Background

### **Tainan Headquarters**

Innovation & Research Center

**CLD** Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677



#### Background

Tumor necrosis factor alpha (TNF alpha) stimulates the acute phase of the immune response. In response to a pathogen, TNF alpha is one of the first to be released and can apply its effects in many organs. TNF alpha stimulates the release of corticotropic releasing hormone, suppresses appetite, and induces fever, in the hypothalamus. TNF increase vasodilation and loss of vascular permeability, it helps recruit lymphocyte, neutrophil, and monocyte to the inflammation site by regulating chemokine release.

#### **Uniprot ID**

P01375

# Instruction

#### Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile  $H_2O$  to a concentration of 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

#### **Stability & Storage**

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

# Image

**Tainan Headquarters** 

Innovation & Research Center

## **CLD** Center

& +886-6-2536677

& +886-2-27065528

☑ bd@leadgene.com.tw

#### Synonyms

Cachectin, Tumor necrosis factor ligand superfamily member 2 (TNF-a)

Sequence Note


Val77-Leu233


## Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

& +886-6-2536677







Human TNF Alpha, His Tag, HEK293 (LDG023PHM) induces cytotoxicity in L929 cells in the presence of actinomycin D, with the ED50 being < 0.1 ng/mL. SDS-PAGE analysis of recombinant human TNF alpha protein.

**Disclaimer :** For Research Use or Further Manufacturing Only.

### **Tainan Headquarters**

Innovation & Research Center

**CLD** Center

<u>⊗</u> +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw