

Human IL-28A, His Tag, E. coli

 Catalog Number
 LDG032PHE

 Package
 5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin

Human

Affinity Tag

His Tag (C-term)

Purity

>98% as determined by SDS-PAGE analysis.

Activity

Measure by its ability to protect HepG2 cells infected with encephalomyocarditis (EMC) virus. The ED $_{50}$ for this effect is <20 ng/mL.

Form

Lyophilized

Expression System

Escherichia coli

Storage Buffer

Lyophilized from a 0.2 μ m filtered solution of PBS, pH 8.0.

Molecular weight

The protein has a calculated MW of 20.60 kDa. The protein migrates as 20 kDa under reducing condition (SDS-PAGE analysis).

Endotoxin Level

<0.1 EU per 1 μ g of the protein by the LAL method.

Background



Background

Interleukin 28A (IL-28A) predicts a molecular mass of 22.3 kDa. IL-28 comes in two isoforms, IL-28A and IL-28B, and plays a role in immune defense against viruses, including the induction of an antiviral state by turning on Mx proteins, 2',5'-oligoadenylate synthetase as well as ISGF3G.

Uniprot ID

#Q8IZJ0

Synonyms

IFN-lambda-2, Cytokine Zcyto20, Interleukin-28A, IL-28A

Sequence Note

Pro27-Val200

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration not less than 200 $\mu g/mL$ and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.


Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Image





SDS-PAGE analysis of recombinant human IL-28A

Disclaimer : For Research Use or Further Manufacturing Only.