

Human Annexin V, His Tag, E. coli

Catalog Number LDG05

Package

LDG058PHE

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin	Expression System
Human	Escherichia coli
Affinity Tag	Storage Buffer
His Tag (C-term)	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.
Purity	Molecular weight
>98% as determined by SDS-PAGE analysis.	The protein has a calculated MW of 36.75 kDa. The protein migrates as 37 kDa under reducing condition (SDS-PAGE analysis).
Endotoxin Level	Form
<0.1 EU per 1 μ g of the protein by the LAL method.	Lyophilized

Background

Background

Annexin V predicts a molecular mass of 36.8 kDa. is commonly used to detect apoptotic cells by its ability to bind to phosphatidylserine, a marker of apoptosis when it is on the outer leaflet of the plasma membrane. Annexin V forms a shield around negatively charged phospholipid molecules. The formation of an annexin V shield blocks the entry of phospholipids into coagulation reactions.

Synonyms

Anchorin CII, Annexin V, Calphobindin I, CPB-I, Endonexin II, Lipocortin V, Placental anticoagulant protein 4, PP4, Placental anticoagulant protein I, PAP-I, Vascular anticoagulant-alpha, VAC-alpha

Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

☑ bd@leadgene.com.tw

2-27065528

& +886-6-2536677



Uniprot ID

#P08758

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration of 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.


Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image



SDS-PAGE analysis of recombinant human Annexin V.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarters	Innovation & Research Center	CLD Center
& +886-6-2536677	& +886-2-27065528	ଝି +886-6-2536677
☑ bd@leadgene.com.tw		

Shipping

Sequence Note

Met1-Asp320

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.



Tainan Headquarters

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw