

# Human IL-17A, His Tag, CHO

Catalog Number LDG07

Package

LDG072PHM

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



## **Specifications**

Species of Origin	Expression System
Human	СНО
Affinity Tag	Storage Buffer
His Tag (N-term)	Lyophilized from a 0.2 $\mu m$ filtered solution of PBS, pH 7.4.
Purity	Molecular weight
>80% as determined by SDS-PAGE analysis.	The protein has a calculated MW of 15.95 kDa. The protein migrates as 13-22 kDa under reducing condition (SDS-PAGE analysis).
Endotoxin Level	Mycoplasma
<0.1 EU per 1 $\mu g$ of the protein by the LAL method.	Not detected.
Form	

Lyophilized

## Background

### Background

Interleukin-17A (IL-17A) is a pro-inflammatory cytokine produced by Th17 cells. It is involved in the immune response against bacterial and fungal infections and plays a significant role in autoimmune diseases such as psoriasis and rheumatoid arthritis.

### Synonyms

Interleukin-17A, IL-17, IL-17A, Cytotoxic T-lymphocyteassociated antigen 8, CTLA-8, II17a, Ctla8, II17

### **Tainan Headquarters**

**Innovation & Research Center** 

### & +886-6-2536677

& +886-2-27065528

## CLD Center

& +886-6-2536677

☑ bd@leadgene.com.tw



### **Uniprot ID**

Q16552

## Sequence Note

Gly24-Ala155

## Instruction

### Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H<sub>2</sub>O to a concentration not less than 200  $\mu$ g/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

## Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.
- Avoid repeated freeze/thaw cycles.

### Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

## Image

### **Tainan Headquarters**

**Innovation & Research Center** 

**CLD** Center

<u>&</u> +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw



	Μ
180 140 140 100 75	
60	0 —
45	5
25	5 🐜
ADGENE 15	
10	0

SDS-PAGE analysis of recombinant human IL-17A.

Disclaimer : For Research Use or Further Manufacturing Only.

## Tainan Headquarters

Innovation & Research Center

**CLD** Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw