

Human Galectin-8, His Tag, E. coli

Catalog Number	LDG145PHE
Package	5 µg / 20 µg / 100 µg / Customized package

For full product information, images and publications, please visit [our website](#).



Specifications

Species of Origin

Human

Affinity Tag

His Tag (N-term)

Purity

>98% as determined by SDS-PAGE analysis.

Activity

Measure by its ability to chemoattract human THP1 cells. Chemotactic activity was observed at a concentration of 25 µg/mL.

Form

Lyophilized

Expression System

Escherichia coli

Storage Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 36.6 kDa. The protein migrates as 34 kDa under reducing condition (SDS-PAGE analysis).

Endotoxin Level

<0.1 EU per 1 µg of the protein by the LAL method.

Background

Tainan Headquarters

+886-6-2536677

bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677

Background

Galectin-8 (Gal-8) is a lectin family member and is one of the tandem repeat-type galectins containing two carbohydrate recognition domains (CRD) connected by a linker region in a single peptide chain. The CRD is responsible for β -galactoside binding, and the binding partners for galectin-8 have been identified, including CD44 and a subset of integrins. Galectin-8 and integrins form complexes, subsequently leading to phosphorylation of paxillin and focal adhesion kinase (FAK), which activates signal pathways including MAPK-ERK and PI3K-AKT pathways. Galectin-8 is constitutively presented in the Liver, kidney, cardiac muscle, lung, and brain. Galectin-8 serves as an immunosuppressive protective role against autoimmune CNS inflammation, regulating the balance of Th17 and Th1 polarization.

Uniprot ID

#O00214

Synonyms

Gal-8, Po66 carbohydrate-binding protein, Po66-CBP, Prostate carcinoma tumor antigen 1, PCTA-1

Sequence Note

Met2-Trp317

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration of 200 μ g/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.


Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image



SDS-PAGE analysis of recombinant human Galectin-8.

Disclaimer : For Research Use or Further Manufacturing Only.