

Human CXCL2, His Tag, E. coli

Catalog Number	LDG154PHE
Package	5 µg / 20 µg / 100 µg / Customized package

For full product information, images and publications, please visit [our website](#).



Specifications

Species of Origin

Human

Affinity Tag

His Tag (N-term)

Purity

>98% as determined by SDS-PAGE analysis.

Activity

Measure by its ability to chemoattract human PBMCs using a concentration range of 10.0 - 100.0 ng/mL.
 Note: Results may vary from different PBMC donors.

Form

Lyophilized

Expression System

Escherichia coli

Storage Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 8.70 kDa.
 The protein migrates as 12 kDa under reducing condition (SDS-PAGE analysis).

Endotoxin Level

<0.1 EU per 1 µg of the protein by the LAL method.

Background

Tainan Headquarters

+886-6-2536677

bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677

Background

C-X-C motif chemokine 2 (CXCL2) also named Growth-regulated oncogene beta (GRO β), which is a chemokine of the intercrine alpha family. CXCL2 is a 8 kDa protein containing 73 amino acid residues. CXCL2 is expressed in immune cells such as macrophages and monocytes. CXCL2 plays an important role with immune responses and cancer progression. CXCL2 activates the cell signal transduction with casepas1 that affect the cell proliferation, differentiation and migration.

Uniprot ID

P19875 1

Synonyms

C-X-C motif chemokine 2, Growth-regulated protein beta, GRO-beta, Macrophage inflammatory protein 2-alpha, MIP2-alpha, 5-73 Alternative names: GRO-beta-THematopoietic synergistic factor, HSF SB-251353

Sequence Note

Ala35-Asn107

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration of 200 μ g/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Image

Tainan Headquarters

+886-6-2536677


✉ bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677



SDS-PAGE analysis of recombinant human CXCL2.

Disclaimer : For Research Use or Further Manufacturing Only.