

Anti-cMyc Tag Antibody [Clone 66-38]

Catalog Number	LDG0004YB
Package	100 μg / Customized package

For full product information, images and publications, please visit our website.



Overview

Description

Mouse anti-cMyc tag mAb is specific to EQKLISEEDL tags which can be applied to several immunoassays including ELISA, WB, IP, IFA and FACS. This antibody has been identified in several sources (bacteria, yeast, and mammalian cells) of cMyc fusion protein.

Product Note

Recommended dilution factor:

ELISA: 1:5000-20000 WB: 1:1000-5000 IP: 1:500-2000 IFA: 1:500-1000 FACS: 1:500-1000

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

Specifications

Clonality Host Mouse Monoclonal

Clone Name Isotype clone 66-38 lgG1

Immunogen Application

Peptide: EQKLISEEDL (cMyc) ELISA, WB, IP, IFA, FACS

Tainan Headquarter

Taipei Office



Conjugation

Unconjugated

Buffer

Phosphate Buffered Saline containing 0.03% ProClin 300, pH 7.4.

Form

Liquid

Concentration

1 mg/mL

Specificity

Recognizes cMyc tag on either the N- or Cterminus of recombinant fusion protein.

Instruction

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage


This product is stable after storage at:

- 2-8°C for 2 weeks under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles. Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.

Image





Western blotting analysis of antic-Myc tag mAb (1:5000) Lane 1: 293T whole cell lysateuntransfected Lane 2: 293T whole cell lysatetransfected Lysate/proteins at 30 μg per lane

Disclaimer: For Research Use or Further Manufacturing Only.