

Annexin V-FAM + 7-AAD ApoptosisDetection Reagent

Catalog Number LDG0011RB **Package** 100 rxn / Customized package For full product information, images and publications, please visit our website.



Overview

Description

Leadgene fluorescent dye (FAM) conjugated Annexin V is highly purified product. During early apoptosis, cells will translocate membrane phosphatidylserine (PS) from the inner face of the membrane to the cell surface.

7-Aminoactinomycin D (7-AAD) is a fluorescent chemical compound with a strong affinity for DNA. It can be used in flow cytometry to evaluate the cell cycle and cell viability during apoptosis. The product can be used in one-step staining procedure without wash step within 20 minutes.

Components

Package	ltems	Quantity
	Annexin V-FAM	1 vial (0.5 mL)
100 rxn	7-AAD	1 vial (0.5 mL)
	10× Binding Buffer	3 vials (2 mL)

Specifications Reactivity **Application** Mammalian Cell apoptosis assay **Detection Method** Sample Type

Tainan Headquarter

Fluorescent

Innovation & Research Center

CLD Center

Adherent cells | Suspension cells



Instruction

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at 2-8°C for long term storage.

Stability & Storage

This product is stable after storage at:

 2-8°C for 12 months under sterile conditions from date of receipt.

Protect from light.

Disclaimer: For Research Use or Further Manufacturing Only.