

Anti-DENV E Antibody [Clone 102-1]

Catalog Number LDG0011YA

Package 100 µg / Customized package

For full product information, images and publications, please visit [our website](#).



Overview

Description

Dengue virus belongs to the family Flaviviridae, genus Flavivirus and consists of four distinct serotypes (DENV1 to 4). Dengue virus is transmitted by mosquitos majorly of species Aedes aegypti and Aedes Albopictus that widespread around tropics and subtropics. The Envelope protein is the major surface-exposed antigen and the primary target of the humoral immune response, and thus the focus of vaccine design.

Product Note

Recommended dilution factor:

ELISA: 1:5000-20000

WB: 1:1000-5000

IFA: 1:500-1000

FACS: Assay dependent

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

Specifications

Host

Mouse

Clonality

Monoclonal

Isotype

IgG1

Clone Name

clone 102-1

Immunogen

Dengue virus E

Reactivity

Dengue virus

Tainan Headquarter

+886-6-2536677 +886-6-2531536

info@leadgene.com.tw

Taipei Office

+886-2-27065528

Application

ELISA, WB, IFA, FACS

Concentration

1 mg/mL

Specificity

E (envelope) protein

Conjugation

Unconjugated

Buffer

Phosphate Buffered Saline containing 0.03% ProClin 300, pH 7.4.

Form

Liquid

Instruction**Shipping**

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage




This product is stable after storage at:


- 2-8°C for 2 weeks under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles.


Suggestion: Divide antibody into several vials.

Keep only vials for usage at 2-8°C.

Image**Tainan Headquarter** +886-6-2536677  +886-6-2531536 info@leadgene.com.tw**Taipei Office** +886-2-27065528



ELISA titration of DENV E antibody



Western blotting analysis of DENV E antibody (1:1000)

Lane 1: Vero cell lysate

Lane 2: ZIKV-infected Vero cell lysate

Lane 3: DENV1-infected Vero cell lysate

Lane 4: DENV2-infected Vero cell lysate

Lane 5: DENV3-infected Vero cell lysate

Lane 6: DENV4-infected Vero cell lysate

Disclaimer : For Research Use or Further Manufacturing Only.