

dCas9-VP64

Catalog Number	LDG003POE
Package	5 µg / 20 µg / 100 µg / Customized package

For full product information, images and publications, please visit [our website](#).



Specifications

Species of Origin

Streptococcus pyogenes

Affinity Tag

His Tag (C-term)

Purity

>90% as determined by SDS-PAGE analysis.

Endotoxin level

<0.1 EU per 1 µg of the protein by the LAL method.

Expression system

Escherichia coli

Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 169.29 kDa.
The protein migrates as 130-180 kDa under reducing condition (SDS-PAGE analysis).

Form

Lyophilized

Background

Tainan Headquarter

+886-6-2536677

bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677

Background

dCas9-VP64 refers to the dCas9 protein (#PDB: 5Y36_A) fused with the VP64 transcription activation domain, which is used in CRISPR-based gene activation. Comprising a deactivated Cas9 (dCas9) protein and VP64 transcriptional activator, it precisely targets gene promoters, enhancing gene expression without altering the DNA sequence. dCas9-VP64 offers a versatile tool for studying gene function, disease mechanisms, and potential therapeutic interventions. dCas9 protein is an endonuclease-inactive version of Cas9 (CRISPR associated protein 9). dCas9 lacks endonuclease activity so that it binds but does not cleave cognate DNA, which can be used to localize transcriptional activators or repressors to specific DNA sequences in order to control transcription.

Sequence Note

Met1-Asp1368

Synonyms

CRISPR-associated endonuclease Cas9/Csn1, SpCas9, SpyCas9

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:


- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Image



SDS-PAGE analysis of recombinant
dCas9-VP64.

Disclaimer : For Research Use or Further Manufacturing Only.