

Donkey Anti-Goat IgG (H+L) Antibody (FAM)

LDG0042YE **Catalog Number**

Package

500 μL / 1 mL / Customized package

For full product information, images and publications, please visit our website.



Publications (3

)

Overview

Description

FAM is a fluorescent dye that can be excited by wavelength of 495 nm. Leadgene Donkey Anti-Goat IgG (H+L) Antibody (FAM) is conjugated with high-activity FAM.

Product Note

Recommended dilution factor: IFA: 1:200-1000 FACS: 1:200-1000

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

Specifications

Host	Clonality
Donkey	Polyclonal
Immunogen Purified goat IgG	Reactivity Goat (Minor cross-reactivity to human in higher concentration)
Application	Conjugation
IFA, FACS	5(6)-FAM

Tainan Headquarter	Innovation & Research Center	CLD Center
& +886-6-2536677	<i>ଷ୍ଠି</i> +886-2-27065528	& +886-6-2536677
☑ bd@leadgene.com.tw		



Concentration 0.5 mg/mL	Buffer Phosphate Buffered Saline containing 1% BSA, 0.03% ProClin 300, pH 7.4.
Specificity	Form
lgG	Liquid
Instruction	

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at 2-8°C for long term storage.

Stability & Storage

This product is stable after storage at:

 2-8°C for 6 months under sterile conditions from date of receipt.

Do not freeze and protect from light.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw