

# Anti-HBsAg Antibody [Clone 2H11]

Catalog Number L

LDG0052YA

Package

100 µg / Customized package

For full product information, images and publications, please visit our website.



### **Overview**

#### Description

Chronic infection by hepatitis B virus results in liver cirrhosis, cancer, and high mortality in infants and young adults. In chronic infection, patients carrying the virus may not show clinical symptoms. Hepatitis virus B surface antigen (HBSAg), also known as Australia antigen, is the envelop protein at the surface of hepatitis B virus. Positive test result for HBSAg indicates that the blood provider is a human hepatitis B virus carrier and the blood is infectious.

Anti-HBsAg is a mouse monoclonal antibody that can reacts with Virus. This antibody has been shown to work in applications such as: EIA, Immunoassay, and ELISA.

### **Product Note**

Recommended dilution factor: ELISA: 1:5000-20000 WB: 1:1000-5000 IFA: 1:500-1000

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

Specifications	
Host	<b>Clonality</b>
Mouse	Monoclonal
Isotype	Clone Name
IgG2a	clone 2H11
Immunogen	Reactivity
Hepatitis B virus surface protein	Hepatitis B virus

## Tainan Headquarter

Innovation & Research Center

**CLD** Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw



Application	Conjugation
ELISA, WB, IFA	Unconjugated
Concentration 1 mg/mL	<b>Buffer</b> Phosphate Buffered Saline containing 0.03% ProClin 300, pH 7.4.
Specificity	Form
Surface protein	Liquid

# Instruction

#### Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage

This product is stable after storage at:

- 2-8°C for 2 weeks under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles. Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.

### Image

### **Tainan Headquarter**

Innovation & Research Center

**CLD** Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw



4]			
3- E			
OD 450 nm			
1-			
01	HESAS	BSA	OLEAD

Direct ELISA of HBsAg antibody, clone 2H11

Disclaimer : For Research Use or Further Manufacturing Only.

# Tainan Headquarter

Innovation & Research Center

**CLD** Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw