

# Mouse CXCL1, Tag Free, E. coli

Catalog Number LDG0

Package

LDG005PME

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



# Specifications

| Species of Origin<br>Mouse  | Expression system<br>Escherichia coli  |
|---|--|
|   |  |
| Affinity Tag  | Buffer   |
| Tag Free  | Lyophilized from a 0.2 $\mu m$ filtered solution containing 50 mM Tris and 150 mM NaCl, pH 8.5.                                    |
| Purity  | Molecular weight   |
| >95% as determined by SDS-PAGE analysis.  | The protein has a calculated MW of 7.45 kDa.<br>The protein migrates below 11 kDa under reducing<br>condition (SDS-PAGE analysis). |
| Activity  | Endotoxin level  |
| Measure by its ability to chemoattract human THP1 cells. Chemotactic activity was observed at a concentration of 200 ng/mL. | <0.1 EU per 1 $\mu g$ of the protein by the LAL method.  |
| Form  |  |

Lyophilized

## Background

### **Tainan Headquarter**

Innovation & Research Center

**CLD** Center

& +886-6-2<u>5366</u>77

☑ bd@leadgene.com.tw

& +886-2-27065528

& +886-6-2536677



### Background

C-X-C motif chemokine 1 (CXCL1) also named Growthregulated oncogene alpha (GROa), which is a chemokine of the intercrine alpha family. CXCL1 is a 7.5 kDa protein containing 68 amino acid residues. CXCL1 is often expressed in immune cells such as macrophage and neutrophils. CXCL1 plays an important role with immune responses and cancer progression. CXCL1 activates the cell signal transduction with casepas1 that affects the cell proliferation, differentiation and migration.

### **Synonyms**

Growth-regulated alpha protein, C-X-C motif chemokine 1, Platelet-derived Growth Factors-inducible protein KC, Secretory protein N51

The product is shipped with polar packs. Upon receipt,

store it immediately at -20°C or lower for long term

**Sequence Note** 

Asn29-Lys96

Shipping

storage.

**Uniprot ID** 

P12850

### Instruction

### Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H<sub>2</sub>O to a concentration of 110 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

### **Stability & Storage**

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

### Image

**Tainan Headquarter** 

**Innovation & Research Center** 

**CLD** Center


& +88<u>6-6-2536677</u>


& +886-2-27065528

☑ bd@leadgene.com.tw

& +886-6-2536677







Activity analysis of recombinant Mouse CXCL1, His Tag, E. coli. Measure by its ability to chemoattract human THP1 cells. Chemotactic activity was observed at a concentration of 200 ng/mL.

SDS-PAGE analysis of recombinant mouse CXCL1.

Disclaimer : For Research Use or Further Manufacturing Only.

### **Tainan Headquarter**

Innovation & Research Center

**CLD** Center

<u>&</u> +886-6-2536677

& +886-2-27065528

🕲 +886-6-2536677

☑ bd@leadgene.com.tw