

# Anti-MPXV M1R Antibody [Clone 64-2]

Catalog Number LDC

Package

LDG0187YA

100 µg / Customized package

For full product information, images and publications, please visit our website.



## **Overview**

### Description

Monkeypox is a zoonotic disease caused by the Monkeypox virus (MPXV), a DNA virus that belongs to the Orthopoxvirus genus, which also includes variola virus (smallpox) and cowpox virus. The MPXV M1R protein is a type I transmembrane protein and is homologous to the vaccinia virus Copenhagen L1R protein. It is a critical component of the virus particle and is essential for viral entry and replication. Anti-MPXV M1R Antibody [Clone 64-2] recognize Monkeypox virus (MPXV) M1R protein.

### **Product Note**

Recognize MPXV M1R protein in ELISA and Lateral Flow, when monoclonal antibody was paired with Anti-MPXV M1R Antibody [Clone 82-4] (cat. LDG0188YA)

Recommended dilution factor: ELISA: 1:5000-20000 IFA: 1:500-1:1000 FACS: Assay dependent

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

Specifications			
Host		Clonality	
Mouse		Monoclonal	
Isotype		Clone Name	
lgG1		clone 64-2	
Immunogen		Reactivity	
Recombinant MPXV M1R protein		Monkeypox virus	
Tainan Headquarter	Innovation & Research Center	CLD Center	
® +886-6-2536677		& +886-6-2536677	
⊠ bd@leadgene.com.tw			



Application	Conjugation
ELISA, WB, IFA, LFIA	Unconjugated
Concentration 1 mg/mL	<b>Buffer</b> Phosphate Buffered Saline containing 0.03% ProClin 300, pH 7.4.
Specificity	Form
M1R protein	Liquid

# Instruction

### Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Stability & Storage

This product is stable after storage at:

- 2-8°C for 2 weeks under sterile conditions from date of receipt.
- -20°C or -80°C for 12 months under sterile conditions from date of receipt.

Avoid repeated freeze/thaw cycles. Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.

### Image

### **Tainan Headquarter**

Innovation & Research Center

**CLD** Center


<u>®</u> +886-6-2536677

& +886-2-27065528


<u>®</u> +886-6-2536677

☑ bd@leadgene.com.tw





Immunofluorescence analysis of Anti-MPXV M1R Antibody [Clone 64-2].



Western blotting analysis of Anti-MPXV M1R Antibody [Clone 64-2] Western blot: M1R expressed 293T cell lysates were stained with mouse anti-MPXV M1R monoclonal antibody. Lane 1: 293T mock cell lysate, Lane 2: 293T MPXV cell lysate.

Disclaimer : For Research Use or Further Manufacturing Only.

### **Tainan Headquarter**

Innovation & Research Center

**CLD** Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw