

Mouse CD38, His Tag, CHO

Catalog Number	LDG018PMM
Package	5 µg / 20 µg / 100 µg / Customized package

For full product information, images and publications, please visit [our website](#).



Specifications

Species of Origin

Mouse

Affinity Tag

His Tag (C-term)

Purity

>95% as determined by SDS-PAGE analysis.

Endotoxin level

<0.1 EU per 1 µg of the protein by the LAL method.

Form

Lyophilized

Expression system

CHO

Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 30.61 kDa.
The protein migrates as 36-42 kDa under reducing condition (SDS-PAGE analysis).

Mycoplasma

Not detected

Background

Tainan Headquarter

+886-6-2536677

bd@leadgene.com.tw

Innovation & Research Center

+886-2-27065528

CLD Center

+886-6-2536677

Background

CD38, a transmembrane glycoprotein, is widely expressed on immune cells such as B cells, T cells, and natural killer cells, as well as non-immune cells like endothelial cells. It functions as a multifunctional enzyme with ADP-ribosyl cyclase activity, catalyzing the conversion of NAD⁺ to cyclic ADP-ribose and nicotinic acid adenine dinucleotide phosphate. CD38 regulates calcium signaling, cell adhesion, and differentiation, playing essential roles in immune responses and inflammation. Moreover, CD38 is also a therapeutic target in multiple myeloma, where its expression correlates with disease progression. Understanding CD38's diverse functions is crucial for developing targeted therapies in immunology and oncology.

Uniprot ID

P56528

Synonyms

2'-phospho-ADP-ribosyl cyclase, 2'-phospho-ADP-ribosyl cyclase/2'-phospho-cyclic-ADP-ribose transferase, 2'-phospho-cyclic-ADP-ribose transferase, ADP-ribosyl cyclase 1 (ADPRC 1), Cyclic ADP-ribose hydrolase 1 (cADPR hydrolase 1), I-19, NIM-R5 antigen

Sequence Note

Leu45-Thr304

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration of 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:


- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Image



SDS-PAGE analysis of recombinant mouse CD38.

Disclaimer : For Research Use or Further Manufacturing Only.