

Human IL-19, His Tag, E. coli

Catalog Number LDG023

Package

LDG023PHE

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin	Expression system
Human	Escherichia coli
Affinity Tag	Buffer
His Tag (C-term)	Lyophilized from a 0.2 μ m filtered solution of PBS, pH
	8.0.
Purity	Molecular weight
>98% as determined by SDS-PAGE analysis.	The protein has a calculated MW of 18.69 kDa.
	The protein migrates as 18 kDa under reducing
	condition (SDS-PAGE analysis).
Activity	Endotoxin level
Measure by its ability to induce proliferation in BaF3	<0.1 EU per 1 μ g of the protein by the LAL method.
cells transfected with human IL-20 R alpha and human	
IL-20 R beta. The ED ₅₀ for this effect is <1.2 ng/mL	

Form

Lyophilized

Background

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2<u>5366</u>77

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw



Background

Interleukin 19 (IL-19) predicts a molecular mass of 35.8 kDa, is a type of anti-inflammatory cytokine. It promotes the Th2 T-cell response which supports an anti-inflammatory lymphocyte phenotype, dampens the Th1 T-cell response and IFNy secretion, increases IL-10 expression in peripheral blood mononuclear cells, and inhibits the production of IgG from B cells.

Uniprot ID

#Q9UHD0

Synonyms

Melanoma differentiation-associated protein-like protein, NG.1, Interleukin-19

The product is shipped with polar packs. Upon receipt,

store it immediately at -20°C or lower for long term

Sequence Note

Leu25-Ala177

Shipping

storage.

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration of 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw



kDa	М		
75	=		
60			
45	_		
35	NE		
25	-		
15	() LEA	DGENE	
10			

SDS-PAGE analysis of recombinant human IL-19.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw