

# Mouse TNF Alpha, His Tag, CHO

 Catalog Number
 LDG043PMM

 Package
 5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



## **Specifications**

**Species of Origin** 

Human

**Affinity Tag** 

His Tag (C-term)

**Purity** 

>95% as determined by SDS-PAGE analysis.

Activity

Measured by its ability to induce cytotoxicity in L929 cells in the presence of actinomycin D, with the ED50 being < 50 pg/mL.

Mycoplasma

Not detected.

**Expression system** 

CHO

Buffer

Lyophilized from a 0.2  $\mu m$  filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 18.08 kDa. The protein migrates as 14-16 kDa under reducing condition (SDS-PAGE analysis).

**Endotoxin level** 

<0.1 EU per 1  $\mu g$  of the protein by the LAL method.

**Form** 

Lyophilized

# **Background**



#### Background

Tumor Necrosis Factor Alpha (TNF-alpha) is a proinflammatory cytokine involved in systemic inflammation and the acute phase reaction. It plays a significant role in autoimmune diseases, cancer, and infectious diseases and is a target for anti-inflammatory therapies.

**Uniprot ID** 

P06804

#### **Synonyms**

Tumor necrosis factor, Cachectin, Tumor necrosis factor ligand superfamily member 2, TNF-a

**Sequence Note** 

Leu80-Leu235

#### Instruction

#### Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile  $H_2O$  to a concentration not less than 200  $\mu g/mL$  and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

### Stability & Storage

This product is stable after storage at:


- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.


#### **Shipping**

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

### **Image**



Mouse TNF Alpha, His Tag, CHO (LDG043PMM) induces cytotoxicity in L929 cells in the presence of actinomycin D, with the ED50 being < 50 pg/mL.



SDS-PAGE analysis of recombinant mouse TNF-alpha.

**Disclaimer:** For Research Use or Further Manufacturing Only.