

Human HDGF, His Tag, E. coli

Catalog Number LDG059PHE $5~\mu g$ / $20~\mu g$ / $100~\mu g$ / Customized package **Package**

For full product information, images and publications, please visit our website.



Specifications

Species of Origin

Human

Affinity Tag

His Tag (C-term)

Purity

>98% as determined by SDS-PAGE analysis.

Endotoxin level

 $< 0.1 \; EU \; per \; 1 \; \mu g \; of \; the \; protein \; by \; the \; LAL$ method.

Expression system

Escherichia coli

Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 27.60 kDa. The protein migrates as 45 kDa under reducing condition (SDS-PAGE analysis).

Form

Lyophilized

Background



Background

Heparin binding Growth Factors (HDGF) is a 27.60 kDa hepatoma-derived Growth Factors with 246 amino acid residues. HDGF is expressed from mitochondria and proteasome. Functionally, it is a potent mitogen, stimulating the growth of vascular smooth muscle cells, hepatoma cells and endothelial cells, acting as a transcriptional repressor.

Uniprot ID

#P51858

Synonyms

Hepatoma-derived Growth Factors, High mobility group protein 1-like 2, HMG-1L2

Sequence Note

Met1-Leu240

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.


Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

Image





SDS-PAGE analysis of recombinant human HDGF.

Disclaimer: For Research Use or Further Manufacturing Only.