

Mouse IL-36RA, His Tag, E. coli

Catalog Number LDG05

Package

LDG059PME

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

| Species of Origin | Expression system |
|---|---|
| Mouse | Escherichia coli |
| Affinity Tag | Buffer |
| His Tag (C-term) | Lyophilized from a 0.2 μm filtered solution of PBS, pH |
| | 7.4. |
| Purity | Molecular weight |
| >98% as determined by SDS-PAGE analysis. | The protein has a calculated MW of 17.81 kDa. |
| | The protein migrates as 17-25 kDa under reducing |
| | condition (SDS-PAGE analysis). |
| Activity | Endotoxin level |
| Measure by its ability to inhibit IL-36 gamma-induced | <0.1 EU per 1 μ g of the protein by the LAL method. |
| IL-6 secretion in 3T3 cells. The ED $_{50}$ for this effect is <2 | |
| μg/mL. | |
| Form | |

Lyophilized

Background

Tainan Headquarter

Innovation & Research Center

CLD Center

<u>&</u> +886-6-2536677

☑ bd@leadgene.com.tw

& +886-2-27065528

& +886-6-2536677



Background

Interleukin 36 receptor antagonist (IL-36RA) is a 17.21 kDa cytokine with 155 amino acid residues and a member of the IL-36 family. It is mainly secreted from the stomach, lungs, and kidneys. IL-36RA binds to the interleukin-36 receptor and plays a critical role in the anti-inflammatory effect by mediating MAPK and NF-ĸB signaling pathways. IL-36RA inhibits proinflammatory effect via suppressing production of IL-6, IL-17, and interferon-gamma and promoting production of IL-4.

Synonyms

Interleukin-36 receptor antagonist protein, IL-36Ra, Interleukin-1 HY1, IL-1HY1, Interleukin-1 delta, IL-1 delta, Interleukin-1 family member 5, IL-1F5, Interleukin-1 homolog 3, IL-1H3, Interleukin-1-like protein 1, IL-1L1

Uniprot ID

#Q9QYY1

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration of 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677


☑ bd@leadgene.com.tw

Sequence Note Met2-Asp156

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.





SDS-PAGE analysis of recombinant mouse IL-36RA.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw