

Mouse IGF-II, His Tag, E. coli

Catalog Number LDG07

Package

LDG071PME

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

| Species of Origin | Expression system |
|---|--|
| Mouse | Escherichia coli |
| Affinity Tag | Buffer |
| His Tag (N-term) | Lyophilized from a 0.2 μm filtered solution of PBS, pH 8.0. |
| Purity | Molecular weight |
| >98% as determined by SDS-PAGE analysis. | The protein has a calculated MW of 8.20 kDa. The protein migrates about 11 kDa under reducing condition (SDS-PAGE analysis). |
| Activity | Endotoxin level |
| Measure by its ability to induce MCF-7 cells proliferation. The ED ₅₀ for this effect is <6 ng/mL. The specific activity of recombinant mouse IGF-II is > 1.5 x 10^5 IU/mg. | <0.1 EU per 1 μg of the protein by the LAL method. |
| Form | |

Lyophilized

Background

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2<u>53</u>6677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw



Background

Mouse Insulin Like Growth Factors 2 (IGF-II) is a 7.34 kDa member of the Insulin-like Growth Factors with 67 amino acid residues. IGF-II is mainly expressed from early embryonic somatic tissues, liver, and epithelial cells lining the surface of the brain. IGF-II is mediating the embryonic development and placental growth, while also promoting tumor growth. IGF-II affects regulation of cell proliferation, growth, migration, differentiation and survival via binding to IGF-I receptor.

Uniprot ID

#P09535

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration of 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 2 weeks under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

Synonyms

Insulin-like Growth Factors II, IGF-II, Multiplicationstimulating polypeptide

Sequence Note

Ala25-Glu91


Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

& +886-6-2536677

☑ bd@leadgene.com.tw





SDS-PAGE analysis of recombinant mouse IGF-II.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-2-27065528

& +886-6-2536677

☑ bd@leadgene.com.tw