

# Human TNF Beta, His Tag, E. coli

LDG115PHE **Catalog Number Package**  $5~\mu g$  /  $20~\mu g$  /  $100~\mu g$  / Customized package

For full product information, images and publications, please visit our website.



# **Specifications**

**Species of Origin** 

Human

**Affinity Tag** 

His Tag (N-term)

**Purity** 

>98% as determined by SDS-PAGE analysis.

**Activity** 

Measure by its ability to induce cytotoxicity in L929 cells in the presence of actinomycin D. The ED50 for this effect is <3 pg/mL. The specific activity of recombinant human TNF beta is  $> 3.3x \cdot 10^8 \text{ IU/mg}$ .

**Form** 

Lyophilized

**Expression system** 

Escherichia coli

**Buffer** 

Lyophilized from a 0.2 µm filtered solution containing 20 mM sodium citrate and 0.2 M NaCl, pH 4.5.

Molecular weight

The protein has a calculated MW of 18.65 kDa. The protein migrates as 21 kDa under reducing condition (SDS-PAGE analysis).

**Endotoxin level** 

<0.1 EU per 1  $\mu$ g of the protein by the LAL method.

**Background** 

Tainan Headquarter

**Innovation & Research Center** 

**CLD Center** 



## Background

Human TNF beta (Lymphotoxin-alpha) is a 22 kDa cytokine with 205 amino acid residues. TNF beta belongs to tumor necrosis factor (TNF) superfamily as TNF alpha. Binding to lymphotoxin- $\beta$  receptor (Lt $\beta$ R), canonical and non-canonical NF- $\kappa$ B signal pathway will be activated. TNF beta is related to apoptosis and inflammatory signals

**Uniprot ID** 

#P01374

## **Synonyms**

Tumor Necrosis Factor Beta, TNF Beta, Lymphotoxinalpha, LT-alpha, Tumor necrosis factor ligand superfamily member 1, TNFSF1

Sequence Note

Leu1-Leu171

## Instruction

## Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile  $H_2O$  to a concentration of 200  $\mu g/mL$  and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

## Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.


Avoid repeated freeze/thaw cycles.

## **Shipping**

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

# **Image**





SDS-PAGE analysis of recombinant human TNF Beta.

**Disclaimer :** For Research Use or Further Manufacturing Only.