

# Human CD27L, His Tag, E. coli

**Catalog Number** LDG118PHE

 $5~\mu g$  /  $20~\mu g$  /  $100~\mu g$  / Customized package **Package** 

For full product information, images and publications, please visit our website.



## **Specifications**

**Species of Origin** 

Human

**Affinity Tag** 

His Tag (N-term)

**Purity** 

>98% as determined by SDS-PAGE analysis.

**Activity** 

Measure by its ability to induce IL-8 secretion in human PBMCs. The ED<sub>50</sub> for this effect is <0.6 ng/mL.

**Form** 

Lyophilized

**Expression system** 

Escherichia coli

**Buffer** 

Lyophilized from a 0.2 µm filtered solution of PBS, pH 8.0.

Molecular weight

The protein has a calculated MW of 18.08 kDa. The protein migrates as 18 kDa under reducing condition (SDS-PAGE analysis).

**Endotoxin level** 

 $< 0.1 \; EU \; per \; 1 \; \mu g \; of \; the \; protein \; by \; the \; LAL$ method.

## **Background**



### **Background**

Human CD27L is also named for CD70 which is one member of TNF family. Human CD27L is expressed on T and B lymphocytes and mature DCs. It binds the CD27, which is on the antigenpresenting cells. Human CD27L is a 23 kDa cytokine with 154 amino acid residues which is a transmembrane glycoprotein. Human CD27L plays an important role in the regulation of T cell proliferation which is also a good target of cancer immunotherapy.

## **Synonyms**

CD27 ligand, CD27L, Tumor necrosis factor ligand superfamily member 7

## **Uniprot ID**

#P32970

#### **Sequence Note**

Gln39-Pro193

## Instruction

#### Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H<sub>2</sub>O to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

#### Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

### **Stability & Storage**


This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

## **Image**





SDS-PAGE analysis of recombinant human CD27L.

**Disclaimer:** For Research Use or Further Manufacturing Only.