

Human Midkine, His Tag, E. coli

Catalog Number LDG13

Package

LDG135PHE

5 μg / 20 μg / 100 μg / Customized package

For full product information, images and publications, please visit our website.



Specifications

Species of Origin	Expression system
Human	Escherichia coli
Affinity Tag	Buffer
His Tag (C-term)	Lyophilized from a 0.2 μm filtered solution containing 20 mM sodium citrate and 0.2 M NaCl, pH 4.5.
Purity	Molecular weight
>95% as determined by SDS-PAGE analysis.	The protein has a calculated MW of 14.36 kDa.
	The protein migrates as 18 kDa under reducing condition (SDS-PAGE analysis).
Endotoxin level	Form
<0.1 EU per 1 μ g of the protein by the LAL method.	Lyophilized

Background

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2<u>53</u>6677

& +886-2-27065528

& +886-6-2536677



Background

Midkine, also known as neurite growth-promoting factor 2 (NEGF2) is a member of a small family of secreted Growth Factorss, furthermore high expression in lymph node, endometrium, spleen, and colon. Midkine is a 13.5 kDa protein containing 143 amino acids, which promotes angiogenesis, cell growth, migration, and gene expression of different cell types probably via a multiprotein receptor complex consisting of several molecules.

Synonyms

Midkine, Amphiregulin-associated protein, ARAP, Midgestation and kidney protein, Neurite outgrowthpromoting factor 2, Neurite outgrowth-promoting protein

The product is shipped with polar packs. Upon receipt,

store it immediately at -20°C or lower for long term

Sequence Note

Val21-Asp143

Shipping

storage.

Uniprot ID

#P21741

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration not less than 200 μ g/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.

Avoid repeated freeze/thaw cycles.

Image

Tainan Headquarter


Innovation & Research Center

CLD Center

& +886-6-2536677

☑ bd@leadgene.com.tw





kDa	27.0		
75 63 48	LEAD		
35 25			
17) LEAD	GENE	

The purity of recombinant human Midkine is greater than 95% as determined by SEC-HPLC. SDS-PAGE analysis of recombinant human Midkine.

Disclaimer : For Research Use or Further Manufacturing Only.

Tainan Headquarter

Innovation & Research Center

CLD Center

& +886-6-2536677

& +886-6-2536677

& +886-2-27065528

☑ bd@leadgene.com.tw