

Human NF-L, His-SUMO Tag, E. coli

Catalog Number LDG179PHE

100 mg / $20 \mu g$ / $100 \mu g$ / Customized package **Package**

For full product information, images and publications, please visit our website.



Specifications

Species of Origin

Human

Affinity Tag

His-SUMO Tag (N-term)

Purity

>95% as determined by SDS-PAGE analysis.

Endotoxin level

 $< 0.1 \; EU \; per \; 1 \; \mu g \; of \; the \; protein \; by \; the \; LAL$ method.

Expression system

Escherichia coli

Buffer

Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Molecular weight

The protein has a calculated MW of 73.91 kDa. The protein migrates as 75 kDa under reducing condition (SDS-PAGE analysis).

Form

Lyophilized

Background



Background

Neurofilaments (NF) are assembled as heteropolymers, found exclusively in neurons, and serve as axonal scaffolding. They are composed of three subunits, including NF-L (68 kDa), NF-M (95 kDa), and NF-H (115 kDa), that are essential for axonal growth and maintenance. Elevated NF-L levels in serum and CSF (cerebrospinal fluid) have been correlated with axonal damage in Multiple Sclerosis patients, serving as a prognostic marker. In addition, plasma NF-L concentrations were highly significantly higher in patients with Alzheimer's disease.

Synonyms

68 kDa neurofilament protein, Neurofilament triplet L protein

Uniprot ID

P07196

Sequence Note

Ser2-Asp543

Instruction

Reconstitution

It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient redissolved.

Stability & Storage

This product is stable after storage at:

- -20°C for 12 months in lyophilized state from date of receipt.
- -20°C or -80°C for 1 month under sterile conditions after reconstitution.


Avoid repeated freeze/thaw cycles.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.



Image



SDS-PAGE analysis of recombinant human NF-L.

Disclaimer: For Research Use or Further Manufacturing Only.